FORM OF ADVERTISEMENT

Oakland Town		of Butler
(City, Borough, Twp.: 1st.	Cl. or 2nd Cl.)	(County)
at 565 Chicora Road	/ Butler, PA 16001	
		(Address)
until 1:00 PM ,on _	April 2, 2025 (Month-Day-Year)	, for the following:
ITEM 1	978 TON	AGGREGATE BASE COURSE, IN PLACE
ITEM 2	9,780 S.Y.	BASE REPAIRS, IN PLACE
	•	·
ITEM 3	9,780 GAL.	ASPHALT PRIME COAT, IN PLACE
ITEM 4	2,505 TON	ASPHALT BINDER COURSE, 19.0mm, IN PLACE

Note: Prevailing wage rates shall apply to this contract.

All bidding contractors shall be PennDOT qualified contractors for the work.

Liquidated damages apply at the rate of \$<u>885.00</u> per calendar day.

Proposals must be upon the forms furnished by the Municipality.

For third class cities the bid must be accompanied by a certified check or bid bond in the amount of 10 % of the bid, made payable to the municipality. For other municipal types it is the discretion of the municipality.

A performance bond or certified check in the amount of 100% of the contract shall be furnished by the successful bidder within 20 days after the contract is awarded.

The Municipality reserves the right to reject any or all proposals.

	Oakland Township
	(City, borough, Twp: 1st. Cl. Or 2nd Cl.
BY:	Diana Foehringer
	(Name)
	Secretary
	(Title)
	(Date)

THIS ADVERTISEMENT ENDS HERE

FOR DEPARTMENT USE ONLY

This advertisement meets the requirements of regulation 1300.



PROPOSAL AND CONTRACT (WHEN EXECUTED)

THIS PROPOSAL INCLUDES INSTRUCTIONS TO BIDDERS

A. DEPOSIT OF PROPOSALS.

4

	All envelopes	containing Bid proposals shall	Oakland Township	2nd Class
	be clearly mar	ked "Bid Proposal for letting of	MUNICIPALITY	(NAME & TYPE)
	A	April 2, 2025 ."		
		DATE	Diana F	oehringer
			SECR	ETARY
	Sealed Propos	sals will be received on or before		
	1:00 PM	on the above Letting Date.	565 Chicora Road	/ Butler, PA 16001
	TIME			
			ADD	RESS
	Bids will be o	pened and read at approximately		
	7:00 PM	, on the above Letting Date.	PROPOSALS MUST BE MA	ILED OR OTHERWISE
	TIME		DELIVERED TO THE ABOV	E ADDRESS.
	specifica specifica and spec Specifica (Sec.102	CATE OF COMPLIANCE) and ally set forth in the Schedule of Fitions on file at Oakla cial requirements contained here ations (Publication 408), except 2.01), and (b) Volumetric testing atted as the successful bidder, the successful bidder is the successful bidder.	Prices (Attachment), in accordated and Township as well as ein and/ or attached hereto and (a) bidders need not be preque of asphalt paving materials is	ince with drawings and is the supplements discurrent PennDOT alified by PennDOT not required (Sec. 413).
•	notice to	proceed, or as otherwise provident see Attachment 1-A calend	ded in the special requirements	
;	3 Accompa	anying this proposal is a certified	d check or bid bond in the amo	unt of 10%
	made pa	yable to the municipality as a p	roposal guarantee which, it is	understood, will be
	forfeited	in case the contractor fails to co	omply with the requirements of	the proposal.
B. PROPO	SAL OF:			
		NAME / ADDR	RESS OF CONTRACTOR	
		CONTRACTO	RS CERTIFICATION	
		tified as follows:		
	1 The only	person interested in the propos	sal as principal (s) is (are):	
	None of	the above persons are employe	es of the municipality	
•	L NONCOL	and above persons are employe	oo or the manioipality.	
;	3 This prop	oosal is made without collusion	with any other person, firm or o	corporation.

listed on the Schedule of Prices. (Attachment 1).

All plans and specifications referred to above and the site of the work have been examined by the contractor. The contractor understands that the quantities indicated herein are approximate and are subject to change as may be required; and that all work is payable on the basis of the unit price

- The contractor will comply with all requirements of the laws and implementing regulations of the Commonwealth of Pennsylvania and the United States relating to human relations, equal opportunity and non-discrimination in employment, and will pay to workmen employed in the performance of the contract the wages to which they may be entitled.
- The contractor will provide the municipality with a performance bond, conditioned upon the faithful performance of the contract in accordance with the plans, specifications and conditions thereof, and a payment bond, conditioned on the prompt payment of all material furnished and labor supplied or performed in the prosecution of the work, in accordance with the Public Works Contractors' Bond Law of 1967; and an affidavit accepting the provisions of the Workmen's Compensation Act of 1915, as amended.

		CONTRACTOR	
	•	CONTRACTOR	
WITNESSED OR ATTESTED BY:	TITLE:		(SEAL)
	IIILE:		(SEAL)
SEAL	TITLE:		(SEAL)
TO BE EXECUTED ONLY IN	THE EVENT THE A	ABOVE PROPOSAL IS ACCEP	TED
ACCEPTED ON:	DATE		
		Oakland Township MUNICIPALITY	
ATTESTED BY:		NAME	
SEAL		NAME	
		NAME	



THIS PORTION TO BE COMPLETED

BY THE MUNICIPALITY

ATTACHMENT 1 TO MS - 944 (PROPOSAL AND CONTRACT MS - 944)

Municipality:	Oakland Townshi
	Municipality:

Project Number: 2025

LOCATION OF WORK: SEE WORK SHEETS

DESCRIPTION OF WORK:

- Base Repairs
- Place Aggregate Base Course
- Place Prime Coat
- Place Asphalt Binder Course

ESCALATOR CLAUSE:(if adopted by Municipality.) N/A

ADT's < 1000

			SCHEDULE OF PRICES		
Item	Approximate	Unit 3	*Description	Unit 5 Drice	Total
1 No.	2 Quantities		4	5 Price	6
ГЕМ 1	978	TON	AGGREGATE BASE COURSE, IN PLACE		
ГЕМ 2	9,780	S.Y.	BASE REPAIRS, IN PLACE		
ГЕМ 3	9,780	GAL.	ASPHALT PRIME COAT, IN PLACE		
TEM 4	2,505	TON	ASPHALT BINDER COURSE, 19.0mm, IN PLACE		
DESCRIPTIO	N:			SUBTOTAL	

Must include ADT on wearing surfaces **USE OF CUTBACK ASPHALT IS PROHIBITED BETWEEN MAY 1st AND OCTOBER 31st, EXCEPT** AS NOTED IN BULLETIN NO. 25. FOR OPTION OR PHASE BIDS THE TOTALS FOR **EACH MUST BE INCLUDED.**

SUBTOTAL FROM OTHER ATTACHMENTS BID TOTAL FOR A NON OPTION / PHASE BID OPTION 1 OR PHASE 1 BID TOTAL OPTION 2 OR PHASE 2 BID TOTAL OPTION 3 OR PHASE 3 BID TOTAL

SPECIAL PROVISIONS TO CONTRACT MS-944 (Attachment 1-A) CONTAINS IMPORTANT INFORMATION FOR THE CONTRACTOR

The Prime Contractor and subcontractors must comply with all of the following provisions that are marked with an "X".

Χ	Traffic Control and Safety Devices to be provided by the Contractor.
	(PA. DEPART. Of TRANS. Publication 203, WORK ZONE TRAFFIC CONTROL, CURRENT EDITION.

- X Delivery tickets for all materials.
- X CS-4171 Certificate of Compliance and/or CS-4171B Daily Bituminous Mixture Certification req'd for all materials.
- X Notify the Municipality five working days prior to start of project.
- X Work to be completed on or before 9/15/2025. After 9/15/2025 Liquidated damages apply at the rate of \$885.00 per calendar day.
- X Roadway to be power broomed by (contractor X municipality)prior to start of project.
- X Excess material to be removed by (contractor X municipality .)
- X Municipality to inspect project.
- X Need Bill of Lading for each shipment of asphalt material per Section 702.1(c) of Specifications 408.
- X Asphalt Tack Coat required per Section 460, or 413 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise.
- X Prime Coat required per Section 461 of Specifications 408.
- X Asphalt Seal on all abutting pavement and curbs required.
- X Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s).
- X Full width pavement with one pass required.
- X Municipality reserves the right to limit work completed.

Taper pavement the last 3 feet to curb.

For FOB Source bids, hauling distance will determine selection of bid award.

Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed.

- X Completion of NON-COLLUSION AFFIDAVIT required.
- X Incidental Preparation and clean up required. (Project Construction Materials)
- X All bidders shall comply with all requirements of Act 127 of 2012, Public Works Employment Verification Act, prior to award of contract.
- X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work.
- X Contractor responsible for defects that occur within one year of applications.
- X Contractor required to review proposed project with Municipality's Representative prior to bidding.
- X Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality.(Oil samples must be placed in an approved type container that is compatible with oil sample.)

At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality.

Complete all testing in accordance with Specification Form 408 Section 413 except for superpave volumetric testing.

Notice to Proceed will be the date of Contract acceptance.

- X Final Completion Certificate & Notice of Completion required.
- X Future award of Contract will be based on quality of work as determined by the municipality. Contractor, notify all residents of pending work to be performed.
- X Contractor shall cut paving notches into all adjacent pavements and roadways as directed by township representatives
- X No cost overruns shall be permitted without prior approval from the Board of Supervisors
- X All work shall conform to current PennDOT Specifications Publication 408
- X SUPERPAVE VIRGIN MIX DESIGNS ONLY, Superpave RAP mix designs are prohibited.
- X All bidding contractors shall be PennDOT qualified contractors for the work.
- X See additional special provisions attached.

My signature signifies that I have read and understand the above special provisions to this contract, and by being authorized by this company to act as their authorized representative, and on their behalf hereby agree to adhere to any and all of the provisions pertaining to this contract.

Contractor's Representative	Date	Municipality's Representative Date
		Oakland Township
Company		Municipality

Reconstruction Project

Oakland Township, Butler County

Additional Special Provisions

- All inlet adjustments/risers shall be incidental to paving item as directed by the municipality.
- Asphalt samples shall be selected and drawn in accordance with PA Test Method No.1 found in Appendix C of Pub 25.
- Contractor must schedule a meeting to review the project in person with the township.
- Asphalt shall extend to all mailboxes and shall be incidental to paving item as directed by the municipality.
- Asphalt shall extend 2' into all driveways and shall be incidental to paving item as directed by the municipality.
- Dry-grinding process shall consist of:
 - The contractor placing approximately 2 inches of 2A aggregate prior to rotomilling process, where needed.
 - Roto-milling process shall be 18 feet in width for the entire length of the project, shall be approximately 4 inches in depth and shall not penetrate or disturb the road base material
 - If water is required to achieve optimal compaction, the contractor shall supply and apply the water as needed. Water application shall be incidental to the Dry Grinding item
 - o Contractor shall initially roll the roto-milled surface with a sheep-foot roller
 - Contractor shall grade the roto-milled surface to a cross-section slope of approximately 1/4 inch per foot
 - Contractor shall compact the graded roadway with a minimum 20-ton vibratory steel wheeled roller
- Upon completion of roto-milling process the contractor shall:
 - Petroleum Emulsion of Ultrabond 2000 or equivalent shall be used as the liquid asphalt prime coat application and shall be placed at an average rate of approximately .5 gallons/SY, followed by two additional applications placed at an average rate of approximately .25 gallons/SY.
 - All equipment used (ie. Chip spreader, rollers, distributors, etc) for the prime coat process shall have current PennDOT approved calibrations, which shall be presented to the township prior to beginning the prime coat operation
 - The contractor shall be responsible for sweeping any loose aggregate from the roadway surface after the prime coat has cured, prior to paving

COUNTY	Butler	MUNICIPALITY	Oak	land Tow	nship		PROJECT#	2025			
	MILLING OF ASPHALT PAVEMENT										
LOCATION OF WORK	FROM	то	L W	DEPTH	SQ. YD.			REMARKS			
				TOTALS							

AGGREGATE BASE COURSES									
LOCATION OF WORK	FROM	то	L	w	DEPTH	CU.YD.	TONS		REMARKS
T-504 Boydstown Rd	Municipal Line	T-615 Weed Rd	4890	18.0	2.00	543.33	978.00		2A Aggregate

COUNTY	Butler	MUNICIPALITY	Oakla	kland Township		PROJECT #	2025
		BASE REP	PAIR				
LOCATION OF WORK	FROM	то	L E N G T H	W I D T H	T D O E T P A T L H	SQ. YD.	DESCRIPTION OF WORK
T-504 Boydstown Rd	Municipal Line	T-615 Weed Rd	4,890	18.0	4.0	9,780	Price to include Dry Grind, Placing Aggregate, Reshaping and Rolling Roadway.
				TOT	ALS	9,780	

COUNTY Butle	er	MUNICIPALITY	Oakland T				PROJECT#	2029
		ASPHALT PRIM		<u>TAC</u>				
LOCATION OF WORK	FROM	то	L E N G T	W I D T H	SQ.YD.	OIL TYPE	GAL. OIL	REMARKS
T-504 Boydstown Rd	Municipal Line	T-615 Weed Rd	4890	OTALS	9,780	Petroleum Em.	9,780	Average .5 /.25 / .25 Gal / SY

COUNTY	Butler	MUNICIPALITY		Oakla	and T	ownship	ı	Р	ROJECT	#		2025
SUPERPAVE ASPHALT MIXTURE DESIGN												
LOCATION OF WORK	FROM	то	L E N G T	W I D T H	D E P T H	SQ. YD.	TONS	MIX in mm	PERF. GRADE	GYRA- TIONS	MATERIAL TYPE	REMARKS
T-504 Boydstown Rd T-602 Pine Tract Rd T-599 Thorn Dr T-599 Thorn Dr T-599 Thorn Dr	Municipal Line Municipal Line T-501 Thorn Run Rd T-501 Thorn Run Rd SR 38	T-615 Weed Rd Municipal Line Tie in Intersection SR 38 Tie in Intersection	H 4890 2300 40 800 50	18.0 18.0 20.0 16.0	2.50 2.50 2.50 2.50	9,780 4,600 89 1,422 139	1,528 719 14 222 22	19.0 19.0 19.0	PG 64S-22 PG 64S-22 PG 64S-22 PG 64S-22	50 50 50	BINDER 19.0 BINDER 19.0 BINDER 19.0 BINDER 19.0 BINDER 19.0	

ANTI-COLLUSION AFFIDAVIT

	County:
	Municipality:
State of:	Project Number:
County of:	Fed. Project No(If Applicable)
	(, , , , , , , , , , , , , , , , , ,
The undersigned deponent depose	es and says that they are the
of the	Company; that they are authorized to make
this affidavit on behalf of said company in	compliance with section 102.06 (e) of Department Specifica-
tions, Publication 408, as amended and th	at the said company has not, either directly or indirectly, en-
tered into any agreement, participated in a	ny collusion, or otherwise taken any action in restraint of free
competitive bidding in connection with suc	h contract.
	(Contractor)
ВУ	
Sworn to and subscribed before	me the undersigned notary public this
day of	· · · · · · · · · · · · · · · · · · ·
	Notary Public
	·
My Co	ommission expires



COMMONWEALTH OF PENNSYLVANIA

PUBLIC WORKS EMPLOYMENT VERIFICATION FORM

	Date				
Business or Organization Name (Employer)					
Address					
City	State	Zip Code			
Contractor Subcontractor (check one)					
Contracting Public Body					
Contract/Project No					
Project Description					
Project Location					
As a contractor/subcontractor for the above reference of the above date, our company is in compliance ('the Act') through utilization of the federal E-No Department of Homeland Security. To the because of January 1, 2013 are authorized to work in the Unit is also agreed to that all public works contraverify the employment eligibility of each new hird date throughout the duration of the public work federal EVP upon each new hire shall be maintain the federal EVP upon each new hire shall be maintain of false or misleading information in connections anctions provided by law.	e with the Pub Verify Program est of my/our ited States. actors/subcont re within five (es contract. Do ned in the ever presentative of	lic Works Employment Verification Act (EVP) operated by the United States knowledge, all employees hired post tractors will utilize the federal EVP to 5) business days of the employee start trumentation confirming the use of the at of an investigation or audit. If the company above, attest that the act and understand that the submission			
		5			
		Authorized Representative Signature			

PROPOSAL AND CONTRACT INSTRUCTIONS- FORM 944

- 1 The proposal must be typewritten or printed.
- 2 If more than one proposal on any project is submitted by an individual, firm or partnership, corporation or association under the same or different names, only one proposal, the lowest, will be considered.
- 3 Description of work -
 - A. If additional space is needed, insert appropriately numbered attachment and note "Continued on attached work sheets"
- Part A of Page 1 to be completed by municipality. Part B of Page 1 to be completed by contractor. Schedule of Prices Column #1 (Item), #2 (Approximate Quantities), #3 (Unit, i.e., ton, square yard, linear foot, etc.) and #4 (Description, i.e., bituminous materials 9.5 mm S & L, 12.5 mm Wearing, 25.0 mm Base Course, etc.) must be filled in by the municipality to insure equitable bidding. Columns #5 (Unit Price), #6 (Total) and total amount of bid, must be filled in by the contractor. If more space is needed, add note at bottom of the page, "Continued on Attachment No. 1-A"; and add additional sheet designated as Attachment No. 1-A, 1-B, etc. Repeat for each additional sheet required. As required by Publication 408 (current edition), Section 102.06(e), each bidder must submit a completed Form D-7126, Anti-Collusion Affidavit (included in this Form MS-944), with its bid proposal.
- If liquidated damages are to be assessed, add the following sentence to Part A #2: "If all work is not completed on time, liquidated damages will be assessed at the rate of \$885.00 per additional working day." (OR ". . . as set forth in the attached schedule").
- Only the successful bidder is obligated to provide payment and performance bonds. These bonds shall conform to the requirements of the relevant municipal code or charter and the Public Works Contractors' Bond Law of 1967, Act of December 20, 1967, P.L. 869, No.385, 8 P.S. §§ 191—202. Bond forms are included in this Form MS-944 as Attachments 2 (performance bond) and 3 (payment bond). The successful bidder must submit the bonds and Workman's Compensation Act Affidavit, Attachment 4, within 20 days of the contract award. Failure to submit the bonds shall constitute grounds to cancel the contract.
- If the estimated cost of a contract for "public works," as this term is defined in the Pennsylvania Prevailing Wage Act, Act of August 15, 1961, P.L. 987, No. 442, as amended, 43 P.S. §§ 165-1—165-17, exceeds \$100,000.00 and the contract is paid for in whole or part out of the funds of the municipality, the municipality shall take the following actions: (1) Determine the prevailing minimum wage rates from the Department of Labor and Industry, Bureau of Labor Law Compliance. (2) Indicate in the advertisement issued for the purpose of securing bids for the contract that prevailing wage rates shall be paid on the project. (3) Specify the prevailing minimum wage rates in the bid proposals for the contract.

On projects financed partly with federal funds, if the project cost exceeds \$2,000.00 and 25% or more of the funding comes from federal funds, the Davis-Bacon Act, 40 U.S.C. §§ 3141—3145, applies. Here again, it is the responsibility of the municipality to obtain the Davis-Bacon wage rates from the United States Department of Labor, Wage and Hour Division, which has offices in Philadelphia, Pittsburgh and Wilkes-Barre; include them in the proposal; and note the fact in the advertisement. If both acts are applicable, the Davis-Bacon Act preempts the Pennsylvania Prevailing Wage Act and applies to the entire project, not just the federally-funded components.

8 An ESCALATOR CLAUSE is optional; if used, it must be included in the proposal prepared by the municipality. An escalator clause may not be inserted by the contractor.

pennsylvania ATTACH NEWSPAPER CLIPPING Project Adve		vertised NewspaperDaily			
HERE AND RETURN TO	2nd Date	Weekly One Bidder Only			
BIDDER		ADDRESS	AMOUNT		
CONTRACT AWAR	DED TO:				
		DATE :			
Resolution: The Officials of the contract as indicated about	ove.	by majority action have accepted the Lo Chairman-President of Council-Ma Supervisor-Other Official			
S	ecretary-Seal	 Supervisor- Other Official			